



Metal Back Strip Brushes



The Fuze Flex[™] is the newest technology in brush seal. Lightweight and ultra-flexible, it is ideal for contours and curves. Available in Polypropylene only.

Shapes and Construction

Prior to coiling the brush, a metal back strip brush is made first. Strip brushes consist of densely compressed synthetic, natural bristles or wire filaments laid down over a continuous metal channel formed into a "U" shape. A binding wire is inserted over the filament materials and forced down into the partially formed metal backing. The binding wire causes the fill material to form vertically as the metal backing forms and closes over the binding wire and filament.

Internal Ring

An internal ring is manufactured by forming a metal back strip brush with the filament material to the inside. The ring can be sprung open to place over a shaft or split in halves or segments to be mounted over a shaft. Ideally used for cleaning the outside surfaces of plastic or metal tubing and rod or used for drum and shaft seals. In high temperature applications, wire filament is recommended.

External Ring

External rings are metal back strip brushes wound with the filament to the outside. They are used as individual rings or mounted together to make a wide brush face. They are used in various cleaning and polishing applications.

Formed Cup

A metal back strip brush is formed into a 360 degree circle or segments of a full circle. The backing sides can be formed vertical or at various angles. Generally used for vacuum hose seals, router enclosures for dust and particle collection on drill presses.

Formed Strip

The metal back strip brush can be formed into irregular shapes. With a range of configurations, strip brushes can be formed into ovals, squares, rectangles, "L" and "V" shapes and compound curves. Formed to meet many shapes and applications.



Straight Strip

The most economical and common manufacturing shape for metal back strip brushes. Brushes are

used individually or mounted parallel on a flat surface for a wider brush face. Applications include window seals, door and dock leveler seals, air flow seals, cable management, engine seals, conveyor cleaning, splash curtains, machine guards, static control, transportation vehicle seals and cleaning glass.

Coiled

Metal back strip brushes are manufactured into free or loose coils by winding them onto a mandrel or free coiling them. They can be produced as internal or external coils depending on the application and can be made with a close wound, tight coil making an extremely dense brush face or an open wound, loose coil with a lead producing less density in the brush face. Coils are manufactured to replace an existing coil on installed equipment or mounted onto a shaft or tube as a cylinder or rotary brush. Applications include



conveyor cleaning, glass washing, vegetable and fruit washing, sheet metal polishing, cleaning trammel screens and used as an auger or screw to move product in a given direction.

Cylinder or Rotary


A metal back strip brush is attached and wound directly to a core, shaft or tube. The coil is wound under tension onto a core, shaft or tube for secure mounting, or free coiled and then assembled to the core. A coil can be close or open wound depending on the desired brush density. Dynamic balancing is provided, if required, to assure complete surface contact regardless of the brush size and speed of the brush. Brushes are generally used in conveyor cleaning, glass washing, vegetable and fruit washing, sheet metal polishing,




cleaning trammel screens and used as an auger or screw to move product in a given direction.









Flat Standard and most common trim as manufactured.




Bevel Reduces brush resistance and conforms to surface being brushed.



Shaved End Made to utilize ends of strip as holding area.




Offset Less density at surface with back-up support.



Stepped Uniform brush contact for brushing irregular or uneven surfaces.

Strip Brush Terminology




BACKING			D FORMED ISIONS	OVERALL TRIM		SYNTHETIC FILL SIZE RANGE	WIRE FILL SIZE RANGE	
	THICKN	ESS (IN)	BASE (IN)			MAXIMUM (IN)	LEVEL OR	
SIZE #	GALV	STST	назе (IN) +/010	LEG (IN) +/015	MINIMUM (IN) +/032	+/032	CRIMPED (IN)	LEVEL OR CRIMPED (IN)
2	.018	.018	.098	.114	.313	6.00	.003012	_
2.5	.024	.018	.125	.125	.313	6.00	.003020	.003010
3	.022	.018	.150	.160	.313	6.00	.003024	.003010
4	.030	.025	.194	.205	.375	8.00	.003030	.003010
5	.035	.035	.240	.250	.500	8.00	.003045	-
7	.040	.040	.310	.340	.625	12.00	.003120	.003014
8	.048	.040	.340	.402	.875	12.00	.003120	-
10	.048	.045	.440	.473	1.00	16.00	.003120	.010020
16	.050	.050	.625	.689	5.00	16.00	.003120	-

HOLDER OPTIONS

We offer strip brush holders for our metal back strip brushes in extruded aluminum for #2½, #3, #4, #7 and #10 backing sizes, and in formed stainless steel in #4 and #7 backing sizes. A flexible PVC holder is also available for #2½ backing size. The holders are produced with a variety of profile shapes for straight and angled mounting. The different profile shapes ensure the brush is mounted at an optimal position for maximum surface contact and effectiveness.

We stock aluminum holders with clear anodized finishes. The anodized finish provides the aluminum with a naturally protective coating, strengthening the durability and extending the life of the brush holder.


For our stapled set line, the all-in-one designs conveniently include holders, which are available in two styles: Clip Style and h-Profile. The integrated Clip Style backing makes placing and moving the brush fast and easy. The integrated h-Profile allows for quick and easy mounting without needing to purchase a separate holder. We stock flexible PVC holders in Clip Style and h-Profile to match with our new Fuze Flex[™] Strip Brushes.




Metal Back Strip Attachment to Core, Shaft or Tube

After the straight metal back strip brush is formed, the strip is attached to the core, shaft or tube and wound under tension to make the coil cylinder brush. We are able to wind the strip right or left handed at the desired pitch to determine the brush density. Strips can be wound in either an open wound or close wound pitch shown below.





Open Wound Pitch for a less dense brush



Close Wound Pitch for a full brush

ASSEMBLED COILS

A finished coil can be assembled to a core, shaft, tube, or free coiled for mounting to the customers shaft in the field. Assembled coils can be tack welded or attached with an alligator clip to the core, shaft or tube. A larger winding pitch provides a less dense brush and conforms better to the surface being brushed. The photos above illustrate a loose or free coil and an assembled coil brush construction.





Tack Weld

Alligator Clip

STRIP BRUSHES

Stapled Set Tufted Cylinder and Circular Brushes

Stapled brushes consist of a series of individual tufts of fill material inserted into a bored hole in a solid block of wood or plastic. The tufts of fill material are secured to the block by a wire staple. Stapled set brushes are made with a variety of hole or tuft patterns to obtain the desired brush density and brushing effect. Hole patterns can be made with virtually any brush pattern. See the pictures below illustrating the different brush densities and hole patterns.

As with coil wound cylinder brushes, stapled set brushes can be made with similar core constructions. The plastic or wood core can be press fit to a shaft, made with collars to accept customer's shaft, made with stub ends or ends can be machined and inserted into ends of core. Steel or aluminum tubing can be press fit into the inside diameter of the tube for mounting collars and added support. Bearings can be press fit into circular brushes.

Core material is generally made of a hard wood or plastic. Most common types of plastics used are PVC, delrin, high-density polyethylene, UHMW, ABS or polypropylene.

BRUSH FILL DENSITIES



Low Fill Density




Medium Fill Density



High Fill Density

Brush Fill Terminology



STAPERCONSURSCTION

Waptify propidessconsideent product etalling ck strip brushes in extruded aluminum for #21/2, #3, #4, #7 and #10 backing sizes, and informatisticintes value in the data of backing sizes. A flexible RVC holder is also available for #2½ backing sizes, and prophotometry with the brush is mounted by the brush is mounted brashes traditional position of the brush is mounted brash

and industries. The staple, as shown in the

6

and industries. The staple, as shown in the 3/32" or more. Westen brader in a staple, as shown in the 3/32" or more. 3/32" or more aluminum with a naturally protection of the staple and enatingsistrangetoning the durability and extending the life of the brush holder

stainless steel or brass. The type of staple Escous stabled set in the allown the allown designs conveniently include holders, which are available in two styles: Clip Style and h-Profile The integrated Glips tyle backing makes placing and moving the brush fast and easy. The integrated h-Profile allows for quick and easy mounting without needing to purchase a separate holder. We stock flexible PVC holders in Clip Style and h-Profile to match with our new Fuze Flex[™] Strip Brushes.

We know brushes



21/2

Nominal size. See page 28.

Nylon Fill/Galvanized Backing

TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB250036	#2-1/2	3/4"	36"	.006 Crimped Black Nylon
MB250072	#2-1/2	3/4"	72"	.006 Crimped Black Nylon
MB250096	#2-1/2	3/4"	96"	.006 Crimped Black Nylon
MB250236	#2-1/2	1"	36"	.008 Crimped Black Nylon
MB250272	#2-1/2	1"	72"	.008 Crimped Black Nylon
MB250296	#2-1/2	1"	96"	.008 Crimped Black Nylon
MB250436	#2-1/2	2"	36"	.010 Crimped Black Nylon
MB250472	#2-1/2	2"	72"	.010 Crimped Black Nylon
MB250496	#2-1/2	2"	96"	.010 Crimped Black Nylon
MB250636	#2-1/2	3"	36"	.012 Crimped Black Nylon
MB250672	#2-1/2	3"	72"	.012 Crimped Black Nylon
MB250696	#2-1/2	3"	96"	.012 Crimped Black Nylon

Nylon Fill/Stainless Steel Backing

TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB252036	#2-1/2	3/4"	36"	.006 Crimped Black Nylon
MB252072	#2-1/2	3/4"	72"	.006 Crimped Black Nylon
MB252096	#2-1/2	3/4"	96"	.006 Crimped Black Nylon
MB252236	#2-1/2	1"	36"	.008 Crimped Black Nylon
MB252272	#2-1/2	1"	72"	.008 Crimped Black Nylon
MB252296	#2-1/2	1"	96"	.008 Crimped Black Nylon
MB252436	#2-1/2	2"	36"	.010 Crimped Black Nylon
MB252472	#2-1/2	2"	72"	.010 Crimped Black Nylon
MB252496	#2-1/2	2"	96"	.010 Crimped Black Nylon
MB252636	#2-1/2	3"	36"	.012 Crimped Black Nylon
MB252672	#2-1/2	3"	72"	.012 Crimped Black Nylon
MB252696	#2-1/2	3"	96"	.012 Crimped Black Nylon



Nylon Fill/Galvanized Backing



/₃₂

4

Nominal size. See page 28.

TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB400036	#4	1"	36"	.010 Crimped Black Nylon
MB400072	#4	1"	72"	.010 Crimped Black Nylon
MB400096	#4	1"	96"	.010 Crimped Black Nylon
MB400236	#4	2"	36"	.010 Crimped Black Nylon
MB400272	#4	2"	72"	.010 Crimped Black Nylon
MB400296	#4	2"	96"	.010 Crimped Black Nylon
MB400436	#4	2"	36"	.014 Crimped Black Nylon
MB400472	#4	2"	72"	.014 Crimped Black Nylon
MB400496	#4	2"	96"	.014 Crimped Black Nylon
MB400636	#4	3"	36"	.014 Crimped Black Nylon
MB400672	#4	3"	72"	.014 Crimped Black Nylon
MB400696	#4	3"	96"	.014 Crimped Black Nylon
MB400836	#4	4"	36"	.014 Crimped Black Nylon
MB400872	#4	4"	72"	.014 Crimped Black Nylon
MB400896	#4	4"	96"	.014 Crimped Black Nylon
MB401036	#4	6"	36"	.014 Crimped Black Nylon
MB401072	#4	6"	72"	.014 Crimped Black Nylon
MB401096	#4	6"	96"	.014 Crimped Black Nylon

Nylon Fill/Stainless Steel Backing



TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MP402036	#4	1"	36"	.010 Crimped Black Nylon
I E 402 71	RTOL#TIC	1"	72"	.010 Crimped Black Nylon
1/E 102.07			96"	.010 Crimped Black Nylon
MB402436	#4	2"	36"	.014 Crimped Black Nylon
MB402472 We offer Bridgersch hold in formed stainless steel produced with a variety of at an optimal position for	in #4 and #7 backing siz of profile shapes for strai	es. A flexible PVC holder ght and angled mounting	72" aluminum fgg#2½, #3, #4 r is also available for #2½ g. The different profile shi 72	.014 Crimped Black Nylon 4, #7 and #10 hacking sizes in 5 backing size. The holders are apes ensure the brush is mounted .014 Crimped Black Nylon
MB402696	#4	3"	96"	.014 Crimped Black Nylon
				m with a 114 a Duira by op Bolate is till ye on
coating MB492812 ening th	-	-		.014 Crimped Black Nylon
MB402896 For our stapled set line, The integrated Clip Style easy mounting without n with our MB4039926 Flex™	leeding to purchase a se	4" nveniently include holder and moving the brush fa parate holder. We stock f 6"	96" s, which are available in st and easy. The integrat lexible PVC holders in C 96"	.014 Crimped Black Nylon two styles: Clip Style and h-Profile. ed h-Profile allows for quick and lip Style and filthoffile to match .014 Crimped Black Nylon

9



#

Nominal size. See page 28. 7

Nylon Fill/Galvanized Backing

BACKING SIZE TANIS PART NO. **OVERALL TRIM OVERALL LENGTH** FILL MATERIAL MB700036 1" 36" .010 Crimped Black Nylon #7 MB700072 #7 1" 72" .010 Crimped Black Nylon MB700096 #7 1" 96" .010 Crimped Black Nylon #7 2" 36" .014 Crimped Black Nylon MB700236 2" MB700272 #7 72" .014 Crimped Black Nylon MB700296 #7 2" 96" .014 Crimped Black Nylon MB700436 #7 2" 36" .020 Crimped Black Nylon .020 Crimped Black Nylon 2" MB700472 #7 72" 2" MB700496 #7 96" .020 Crimped Black Nylon 3" MB700636 #7 36" .014 Crimped Black Nylon 3" MB700672 #7 72" .014 Crimped Black Nylon 3" MB700696 #7 96" .014 Crimped Black Nylon MB700836 #7 3" 36" .020 Crimped Black Nylon MB700872 #7 3" 72" .020 Crimped Black Nylon MB700896 #7 3" 96" .020 Crimped Black Nylon MB701036 3" .030 Crimped Black Nylon #7 36" MB701072 #7 3" 72" .030 Crimped Black Nylon MB701096 #7 3" 96" .030 Crimped Black Nylon 4" .020 Crimped Black Nylon MB701236 #7 36" 4" #7 72" .020 Crimped Black Nylon MB701272 4" MB701296 #7 96" .020 Crimped Black Nylon 4" .030 Crimped Black Nylon MB701436 #7 36" MB701496 #7 4" 96" .030 Crimped Black Nylon MB701636 #7 6" 36" .020 Crimped Black Nylon MB701672 #7 6" 72" .020 Crimped Black Nylon MB701696 #7 6" 96" .020 Crimped Black Nylon MB701736 #7 6" 36" .045 Crimped Black Nylon MB701772 #7 6" 72" .045 Crimped Black Nylon .045 Crimped Black Nylon 6" MB701796 #7 96" 8" MB701836 #7 36" .045 Crimped Black Nylon #7 8" 72" .045 Crimped Black Nylon MB701872 MB701896 #7 8" .045 Crimped Black Nylon 96" MB701936 #7 10" 36" .045 Crimped Black Nylon MB701972 #7 10" 72" .045 Crimped Black Nylon MB701996 #7 10" 96" .045 Crimped Black Nylon



Nylon Fill/Galvanized Backing



Nominal size. See page 28. 10

TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB100036	#10	2"	36"	.014 Crimped Black Nylon
MB100072	#10	2"	72"	.014 Crimped Black Nylon
MB100096	#10	2"	96"	.014 Crimped Black Nylon
MB100236	#10	3"	36"	.020 Crimped Black Nylon
MB100272	#10	3"	72"	.020 Crimped Black Nylon
MB100296	#10	3"	96"	.020 Crimped Black Nylon
MB100436	#10	4"	36"	.020 Crimped Black Nylon
MB100472	#10	4"	72"	.020 Crimped Black Nylon
MB100496	#10	4"	96"	.020 Crimped Black Nylon
MB100636	#10	5"	36"	.030 Crimped Black Nylon
MB100672	#10	5"	72"	.030 Crimped Black Nylon
MB100696	#10	5"	96"	.030 Crimped Black Nylon
MB100836	#10	6"	36"	.045 Crimped Black Nylon
MB100872	#10	6"	72"	.045 Crimped Black Nylon
MB100896	#10	6"	96"	.045 Crimped Black Nylon
MB101036	#10	8"	36"	.045 Crimped Black Nylon
MB101072	#10	8"	72"	.045 Crimped Black Nylon
MB101096	#10	8"	96"	.045 Crimped Black Nylon
MB101236	#10	10"	36"	.045 Crimped Black Nylon
MB101272	#10	10"	72"	.045 Crimped Black Nylon
MB101296	#10	10"	96"	.045 Crimped Black Nylon

We offer strip brush holders for our metal back strip brushes in extruded aluminum for #2½, #3, #4, #7 and #10 backing sizes, and in formed stainless steel in #4 and #7 backing sizes. A flexible PVC holder is also available for #2½ backing size. The holders are produced with a variety of profile shapes for straight and angled mounting. The different profile shapes ensure the brush is mounted at an optimal position for maximum surface contact and effectiveness.

We stock aluminum holders with clear anodized finishes. The anodized finish provides the aluminum with a naturally protective coating, strengthening the durability and extending the life of the brush holder.

For our stapled set line, the all-in-one designs conveniently include holders, which are available in two styles: Clip Style and h-Profile. The integrated Clip Style backing makes placing and moving the brush fast and easy. The integrated h-Profile allows for quick and easy mounting without needing to purchase a separate holder. We stock flexible PVC holders in Clip Style and h-Profile to match with our new Fuze Flex[™] Strip Brushes.



Nominal size. See page 28.

#

⅔2

Signature Mominal size. See page 28.

Horse Hair Fill/Galvanized Backing

BACKING SIZE FILL MATERIAL TANIS PART NO. **OVERALL TRIM OVERALL LENGTH** MB409036 #4 1" 36" Horse Hair 72" MB409072 #4 1" Horse Hair #4 MB409096 1" 96" Horse Hair MB409236 2" Horse Hair #4 36" MB409272 #4 2" 72" Horse Hair MB409296 Horse Hair #4 2" 96" MB409436 #4 3" 36" Horse Hair MB409472 #4 3" 72" Horse Hair MB409496 #4 3" 96" Horse Hair MB709036 #7 1" 36" Horse Hair Horse Hair MB709072 #7 1" 72" MB709096 #7 1" 96" Horse Hair MB709236 #7 2" 36" Horse Hair MB709272 #7 2" 72" Horse Hair MB709296 #7 2" 96" Horse Hair MB709436 #7 3" 36" Horse Hair MB709472 #7 3" 72" Horse Hair MB709496 #7 3" 96" Horse Hair



PFA Fill/Galvanized Backing



TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB710036	#7	1"	36"	.035 PFA
MB710072	#7	1"	72"	.035 PFA
MB710096	#7	1"	96"	.035 PFA
MB710236	#7	2"	36"	.035 PFA
MB710272	#7	2"	72"	.035 PFA
MB710296	#7	2"	96"	.035 PFA
MB710436	#7	3"	36"	.035 PFA
MB710472	#7	3"	72"	.035 PFA
MB710496	#7	3"	96"	.035 PFA

PFA is a filament made with Teflon® material for high temperature applications

We offer strip brush holders for our metal back strip brushes in extruded aluminum for #2½, #3, #4, #7 and #10 backing sizes, and in formed stainless steel in #4 and #7 backing sizes. A flexible PVC holder is also available for #2½ backing size. The holders are produced with a variety of profile shapes for straight and angled mounting. The different profile shapes ensure the brush is mounted at an optimal position for maximum surface contact and effectiveness.

We stock aluminum holders with clear anodized finishes. The anodized finish provides the aluminum with a naturally protective coating, strengthening the durability and extending the life of the brush holder.

For our stapled set line, the all-in-one designs conveniently include holders, which are available in two styles: Clip Style and h-Profile. The integrated Clip Style backing makes placing and moving the brush fast and easy. The integrated h-Profile allows for quick and easy mounting without needing to purchase a separate holder. We stock flexible PVC holders in Clip Style and h-Profile to match with our new Fuze Flex[™] Strip Brushes.



7

Nominal size. See page 28.

#

Nylon Fill/Stainless Steel Backing

TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB702036	#7	1"	36"	.010 Crimped Black Nylon
MB702072	#7	1"	72"	.010 Crimped Black Nylon
MB702096	#7	1"	96"	.010 Crimped Black Nylon
MB702236	#7	2"	36"	.014 Crimped Black Nylon
MB702272	#7	2"	72"	.014 Crimped Black Nylon
MB702296	#7	2"	96"	.014 Crimped Black Nylon
MB702436	#7	2"	36"	.020 Crimped Black Nylon
MB702472	#7	2"	72"	.020 Crimped Black Nylon
MB702496	#7	2"	96"	.020 Crimped Black Nylon
MB702636	#7	3"	36"	.014 Crimped Black Nylon
MB702672	#7	3"	72"	.014 Crimped Black Nylon
MB702696	#7	3"	96"	.014 Crimped Black Nylon
MB702836	#7	3"	36"	.020 Crimped Black Nylon
MB702872	#7	3"	72"	.020 Crimped Black Nylon
MB702896	#7	3"	96"	.020 Crimped Black Nylon
MB703036	#7	3"	36"	.030 Crimped Black Nylon
MB703072	#7	3"	72"	.030 Crimped Black Nylon
MB703096	#7	3"	96"	.030 Crimped Black Nylon
MB703236	#7	4"	36"	.020 Crimped Black Nylon
MB703272	#7	4"	72"	.020 Crimped Black Nylon
MB703296	#7	4"	96"	.020 Crimped Black Nylon
MB703436	#7	4"	36"	.030 Crimped Black Nylon
MB703472	#7	4"	72"	.030 Crimped Black Nylon
MB703496	#7	4"	96"	.030 Crimped Black Nylon
MB703636	#7	6"	36"	.020 Crimped Black Nylon
MB703672	#7	6"	72"	.020 Crimped Black Nylon
MB703696	#7	6"	96"	.020 Crimped Black Nylon
MB703736	#7	6"	36"	.045 Crimped Black Nylon
MB703772	#7	6"	72"	.045 Crimped Black Nylon
MB703796	#7	6"	96"	.045 Crimped Black Nylon
MB703836	#7	8"	36"	.045 Crimped Black Nylon
MB703872	#7	8"	72"	.045 Crimped Black Nylon
MB703896	#7	8"	96"	.045 Crimped Black Nylon
MB703936	#7	10"	36"	.045 Crimped Black Nylon
MB703972	#7	10"	72"	.045 Crimped Black Nylon
MB703996	#7	10"	96"	.045 Crimped Black Nylon

Crimped Brass Fill/ Stainless Steel Backing

#

Nominal size.

See page 28.



Nominal size. See page 28.

TANIS Part no.	BACKING Size	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB406036	#4	1"	36"	.004 Crimped Brass
MB406072	#4	1"	72"	.004 Crimped Brass
MB406096	#4	1"	96"	.004 Crimped Brass
MB406236	#4	2"	36"	.006 Crimped Brass
MB406272	#4	2"	72"	.006 Crimped Brass
MB406296	#4	2"	96"	.006 Crimped Brass
MB406436	#4	3"	36"	.008 Crimped Brass
MB406472	#4	3"	72"	.008 Crimped Brass
MB406496	#4	3"	96"	.008 Crimped Brass
MB406636	#4	4"	36"	.006 Crimped Brass
MB406672	#4	4"	72"	.006 Crimped Brass
MB406696	#4	4"	96"	.006 Crimped Brass
MB406836	#4	6"	36"	.008 Crimped Brass
MB406872	#4	6"	72"	.008 Crimped Brass
MB406896	#4	6"	96"	.008 Crimped Brass
MB706036	#7	1"	36"	.006 Crimped Brass
MB706072	#7	1"	72"	.006 Crimped Brass
MB706096	#7	1"	96"	.006 Crimped Brass
MB706236	#7	2"	36"	.008 Crimped Brass
MB706272	#7	2"	72"	.008 Crimped Brass
MB706296	#7	2"	96"	.008 Crimped Brass
MB706436	#7	3"	36"	.010 Crimped Brass
MB706472	#7	3"	72"	.010 Crimped Brass
MB706496	#7	3"	96"	.010 Crimped Brass
MB706636	#7	4"	36"	.008 Crimped Brass
MB706672	#7	4"	72"	.008 Crimped Brass
MB706696	#7	4"	96"	.008 Crimped Brass
MB706836	#7	6"	36"	.014 Crimped Brass
*1B706870		6"	72"	.014 Crimped Brass
1B7)6 🛛 🗸		6"	96"	.014 Crimped Brass

We offer strip brush holders for our metal back strip brushes in extruded aluminum for #2½, #3, #4, #7 and #10 backing sizes, and in formed stainless steel in #4 and #7 backing sizes. A flexible PVC holder is also available for #21/2 backing size. The holders are produced with a variety of profile shapes for straight and angled mounting. The different profile shapes ensure the brush is mounted at an optimal position for maximum surface contact and effectiveness.

We stock aluminum holders with clear anodized finishes. The anodized finish provides the aluminum with a naturally protective coating, strengthening the durability and extending the life of the brush holder.

For our stapled set line, the all-in-one designs conveniently include holders, which are available in two styles: Clip Style and h-Profile. The integrated Clip Style backing makes placing and moving the brush fast and easy. The integrated h-Profile allows for quick and easy mounting without needing to purchase a separate holder. We stock flexible PVC holders in Clip Style and h-Profile to match with our new Fuze Flex[™] Strip Brushes.



Nominal size.

#

See page 28.

4

Stainless Steel Fill/ Stainless Steel Backing

Nominal size See page 28.

BACKING SIZE **OVERALL TRIM OVERALL LENGTH** FILL MATERIAL TANIS PART NO. .004 Crimped Stainless Steel MB404036 #4 1" 36" 1" #4 72" MB404072 .004 Crimped Stainless Steel 1" 96" .004 Crimped Stainless Steel MB404096 #4 MB404236 #4 2" 36" .006 Crimped Stainless Steel MB404272 2" #4 72" .006 Crimped Stainless Steel MB404296 #4 2" 96" .006 Crimped Stainless Steel MB404436 #4 3" 36" .008 Crimped Stainless Steel MB404472 #4 3" 72" .008 Crimped Stainless Steel 3" MB404496 #4 96" .008 Crimped Stainless Steel MB404636 #4 4" 36" .006 Crimped Stainless Steel 4" MB404672 #4 72" .006 Crimped Stainless Steel 4" MB404696 #4 96" .006 Crimped Stainless Steel MB404836 #4 6" 36" .008 Crimped Stainless Steel MB404872 #4 6" 72" .008 Crimped Stainless Steel MB404896 #4 6" .008 Crimped Stainless Steel 96" MB704036 #7 1" 36" .006 Crimped Stainless Steel MB704072 #7 1" 72" .006 Crimped Stainless Steel #7 1" 96" .006 Crimped Stainless Steel MB704096 .010 Crimped Stainless Steel #7 2" MB704236 36" 72" MB704272 #7 2" .010 Crimped Stainless Steel MB704296 #7 2" 96" .010 Crimped Stainless Steel 3" MB704436 #7 36" .014 Crimped Stainless Steel 72" MB704472 #7 3" .014 Crimped Stainless Steel MB704496 #7 3" 96" .014 Crimped Stainless Steel 4" MB704636 #7 36" .010 Crimped Stainless Steel 4" MB704672 #7 72" .010 Crimped Stainless Steel 96" 4" .010 Crimped Stainless Steel MB704696 #7 MB704836 #7 6" .014 Crimped Stainless Steel 36" MB704872 #7 6" 72" .014 Crimped Stainless Steel MB704896 #7 6" 96" .014 Crimped Stainless Steel



Antistatic Nylon/ Galvanized Backing

A Nominal size. See page 28.

5/16



Nominal size. See page 28.

TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB440236	#4	1"	36"	.008 Level Black Anti-Static Nylon
MB440272	#4	1"	72"	.008 Level Black Anti-Static Nylon
MB440296	#4	1"	96"	.008 Level Black Anti-Static Nylon
MB440436	#4	2"	36"	.012 Level Black Anti-Static Nylon
MB440472	#4	2"	72"	.012 Level Black Anti-Static Nylon
MB440496	#4	2"	96"	.012 Level Black Anti-Static Nylon
MB440636	#4	3"	36"	.020 Level Black Anti-Static Nylon
MB440672	#4	3"	72"	.020 Level Black Anti-Static Nylon
MB440696	#4	3"	96"	.020 Level Black Anti-Static Nylon
MB740236	#7	1"	36"	.008 Level Black Anti-Static Nylon
MB740272	#7	1"	72"	.008 Level Black Anti-Static Nylon
MB740296	#7	1"	96"	.008 Level Black Anti-Static Nylon
MB740436	#7	2"	36"	.012 Level Black Anti-Static Nylon
MB740472	#7	2"	72"	.012 Level Black Anti-Static Nylon
MB740496	#7	2"	96"	.012 Level Black Anti-Static Nylon
MB740636	#7	3"	36"	.020 Level Black Anti-Static Nylon
MB740672	#7	3"	72"	.020 Level Black Anti-Static Nylon
MB740696	#7	3"	96"	.020 Level Black Anti-Static Nylon

We offer strip brush holders for our metal back strip brushes in extruded aluminum for #2½, #3, #4, #7 and #10 backing sizes, and in formed stainless steel in #4 and #7 backing sizes. A flexible PVC holder is also available for #2½ backing size. The holders are produced with a variety of profile shapes for straight and angled mounting. The different profile shapes ensure the brush is mounted at an optimal position for maximum surface contact and effectiveness.

We stock aluminum holders with clear anodized finishes. The anodized finish provides the aluminum with a naturally protective coating, strengthening the durability and extending the life of the brush holder.

For our stapled set line, the all-in-one designs conveniently include holders, which are available in two styles: Clip Style and h-Profile. The integrated Clip Style backing makes placing and moving the brush fast and easy. The integrated h-Profile allows for quick and easy mounting without needing to purchase a separate holder. We stock flexible PVC holders in Clip Style and h-Profile to match with our new Fuze Flex[™] Strip Brushes.





TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB251436	#2.5	1"	36"	.006 Level Black Nylon 6.0 UL94 V0 Rated
MB2514120	#2.5	1"	120"	.006 Level Black Nylon 6.0 UL94 V0 Rated
MB440836	#4	1"	36"	.006 Level Black Nylon 6.0 UL94 V0 Rated
MB4408120	#4	1"	120"	.006 Level Black Nylon 6.0 UL94 V0 Rated
MB441036	#4	3"	36"	.012 Level Black Nylon 6.0 UL94 V0 Rated
MB4410120	#4	3"	120"	.012 Level Black Nylon 6.0 UL94 V0 Rated
MB740836	#7	1"	36"	.006 Level Black Nylon 6.0 UL94 V0 Rated
MB7408120	#7	1"	120"	.006 Level Black Nylon 6.0 UL94 V0 Rated
MB741036	#7	3"	36"	.012 Level Black Nylon 6.0 UL94 V0 Rated
MB7410120	#7	3"	120"	.012 Level Black Nylon 6.0 UL94 V0 Rated

Other trim lengths, overall lengths, fill material and backing sizes are available upon request. Stainless steel backing is also available.

🏅 Flame retardant filament.



TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB420096	#4	2"	96"	.014 Level Black Nylon
MB421096	#4	3"	96"	.014 Level Black Nylon
MB720096	#7	2"	96"	.014 Level Black Nylon
MB721096	#7	3"	96"	.014 Level Black Nylon

Other trim lengths, overall lengths, fill material and backing sizes are available upon request. Stainless steel backing is also available.



Natural Polyester/ Stainless Steel Backing



Nominal size. See page 28.



Food Grade Brushes

TANIS PART NO.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
MB460236	#4	1"	36"	.008 Crimped Natural Polyester
MB460272	#4	1"	72"	.008 Crimped Natural Polyester
MB460296	#4	1"	96"	.008 Crimped Natural Polyester
MB460436	#4	2"	36"	.012 Crimped Natural Polyester
MB460472	#4	2"	72"	.012 Crimped Natural Polyester
MB460496	#4	2"	96"	.012 Crimped Natural Polyester
MB460636	#4	3"	36"	.020 Crimped Natural Polyester
MB460672	#4	3"	72"	.020 Crimped Natural Polyester
MB460696	#4	3"	96"	.020 Crimped Natural Polyester
MB760236	#7	1"	36"	.008 Crimped Natural Polyester
MB760272	#7	1"	72"	.008 Crimped Natural Polyester
MB760296	#7	1"	96"	.008 Crimped Natural Polyester
MB760436	#7	2"	36"	.012 Crimped Natural Polyester
MB760472	#7	2"	72"	.012 Crimped Natural Polyester
MB760496	#7	2"	96"	.012 Crimped Natural Polyester
MB760636	#7	3"	36"	.020 Crimped Natural Polyester
MB760672	#7	3"	72"	.020 Crimped Natural Polyester
MB760696	#7	3"	96"	.020 Crimped Natural Polyester

We offer strip brush holders for our metal back strip brushes in extruded aluminum for #2½, #3, #4, #7 and #10 backing sizes, and in formed stainless steel in #4 and #7 backing sizes. A flexible PVC holder is also available for #21/2 backing size. The holders are produced with a variety of profile shapes for straight and angled mounting. The different profile shapes ensure the brush is mounted at an optimal position for maximum surface contact and effectiveness.

We stock aluminum holders with clear anodized finishes. The anodized finish provides the aluminum with a naturally protective coating, strengthening the durability and extending the life of the brush holder.

For our stapled set line, the all-in-one designs conveniently include holders, which are available in two styles: Clip Style and h-Profile. The integrated Clip Style backing makes placing and moving the brush fast and easy. The integrated h-Profile allows for quick and easy mounting without needing to purchase a separate holder. We stock flexible PVC holders in Clip Style and h-Profile to match with our new Fuze Flex[™] Strip Brushes.

Extruded Aluminum and Flexible PVC





CF CLEAR ANODIZED FINISH **IN STOCK**


	TANIS PART NO.	OVERALL LENGTH	
	AH250212	12"	CF
	AH250224	24"	
Z	AH250236	36"	
ALUMINUM	AH250248	48"	.230
ΜN	AH250260	60"	<u>‡</u>
AL	AH250272	72"	
	AH250284	84"	
	AH250296	96"	

	TANIS PART NO.	OVERALL LENGTH
	AH250812	12"
	AH250824	24"
Z	AH250836	36"
N	AH250848	48"
ALUMINUM	AH250860	60"
AL	AH250872	72"
	AH250884	84"
	AH250896	96"




	AH250412	12"
	AH250424	24"
Σ	AH250436	36"
N	AH250448	48"
ALUMINUM	AH250460	60"
AL	AH250472	72"
	AH250484	84"
	AH250496	96"

	FPH250012	12"
BER	FPH250024	24"
UBE	FPH250036	36"
£	FPH250048	48"
BLE	FPH250060	60"
EXIBLI	FPH250072	72"
Ë	FPH250084	84"
	FPH250096	96"



IN STOCK




HO cander rach normal slots



We offer strip brush holders for our metal back strip brushes in extruded aluminum for #2½, #3, #4, #7 and #10 backing sizes, and in formed stainless steel in #4 and #7 backing sizes. A flexible PVC holder is also available for #2½ backing size. The holders are produced with a variety of profile shapes for straight and angled mounting. The different profile shapes ensure the brush is mounted at an optimal position for maximum surface contact and effectiveness.

We stock aluminum holders with clear anodized finishes. The anodized finish provides the aluminum with a naturally protective coating, strengthening the durability and extending the life of the brush holder.

For our stapled set line, the all-in-one designs conveniently include holders, which are available in two styles: Clip Style and h-Profile. The integrated Clip Style backing makes placing and moving the brush fast and easy. The integrated h-Profile allows for quick and easy mounting without needing to purchase a separate holder. We stock flexible PVC holders in Clip Style and h-Profile to match with our new Fuze Flex[™] Strip Brushes.



#

METAL BACK STRIP BRUSH HOLDERS


7

Nominal size. See page 28.

CF CLEAR ANODIZED FINISH IN STOCK

	TANIS PART NO.	OVERALL LENGTH		t
	AH700012	12"	CF	
_	AH700024	24"		
NN	AH700036	36"]	2,400
Z	AH700048	48"	1	
M	AH700060	60"		
ALUMINUM	AH700072	72"		
4	AH700084	84"		•
	AH700096	96"		I





1.150

480

450

CF

CF

12"

24"

36"

48"

60"

72"

84"


96"

480

	TANIS PART NO.	OVERALL LENGTH	
	AH702012	12"	CF
_	AH702024	24"	
ALUMINUM	AH702036	36"	I 1.250-
Ζ	AH702048	48"	
N	AH702060	60"	l
ALI	AH702072	72"	
4	AH702084	84"	.450
	AH702096	96"	

Extruded Aluminum and Stainless Steel











AH700812

AH700824

AH700836

AH700848


AH700860

AH700872


AH700884

AH700896

ALUMINUM








480


STH700012 12" STEEL STH700024 24" STH700036 36" STAINLESS STH700048 48" STH700060 60" STH700072 72" STH700084 84" STH700096 96"



STEEL ALLIGATOR CLIP



Mounting holes and slots can be machined into holders.



.650

.630

We offer strip brush holders for our metal back strip brushes in extruded aluminum for #2½, #3, #4, #7 and #10 backing sizes, and in formed stainless steel in #4 and #7 backing sizes. A flexible PVC holder is also available for #2½ backing size. The holders are produced with a variety of profile shapes for straight and angled mounting. The different profile shapes ensure the brush is mounted at an optimal position for maximum surface contact and effectiveness.

We stock aluminum holders with clear anodized finishes. The anodized finish provides the aluminum with a naturally protective coating, strengthening the durability and extending the life of the brush holder.

For our stapled set line, the all-in-one designs conveniently include holders, which are available in two styles: Clip Style and h-Profile. The integrated Clip Style backing makes placing and moving the brush fast and easy. The integrated h-Profile allows for quick and easy mounting without needing to purchase a separate holder. We stock flexible PVC holders in Clip Style and h-Profile to match with our new Fuze Flex[™] Strip Brushes.

www.newmantools.com tel 1-800-465-1384

AH100484

AH100496

AH100812

AH100824

AH100836

AH100848

AH100860

AH100872

AH100884

AH100896

ALUMINUM

84"

96"

12"

24"

36"

48"

60"


72"


84"


96"

CF

Flexible and Rigid PVC Strip Brushes










TANIS Part no.	TRIM LENGTH	OVERALL LENGTH	NUMBER OF ROWS	FILL MATERIAL
A FLEXIBLE PVC – CLIP ST	YLE			
FPVC121036	1"	36"	2	.008 Crimped Black Nylon
FPVC122036	2"	36"	2	.012 Crimped Black Nylon
FPVC123036	3"	36"	2	.020 Crimped Black Nylon
FPVC121072	1"	72"	2	.008 Crimped Black Nylon
FPVC122072	2"	72"	2	.012 Crimped Black Nylon
FPVC123072	3"	72"	2	.020 Crimped Black Nylon
B RIGID PVC – h-PROFILE				
RPVC231036	1"	36"	3	.008 Level Black Nylon
RPVC232036	2"	36"	3	.012 Level Black Nylon
RPVC233036	3"	36"	3	.020 Level Black Nylon
RPVC231072	1"	72"	3	.008 Level Black Nylon
RPVC232072	2"	72"	3	.012 Level Black Nylon
RPVC233072	3"	72"	3	.020 Level Black Nylon
C RIGID PVC – 90 DEGREE	PROFILE			
RPVC331036	1"	36"	3	.008 Level Black Nylon
RPVC332036	2"	36"	3	.012 Level Black Nylon
RPVC333036	3"	36"	3	.020 Level Black Nylon
RPVC331072	1"	72"	3	.008 Level Black Nylon
RPVC332072	2"	72"	3	.012 Level Black Nylon
RPVC333072	3"	72"	3	.020 Level Black Nylon
B RIGID PVC – h-PROFILE				
RPVC731036	1"	36"	3	Horse Hair
RPVC732036	2"	36"	3	Horse Hair
RPVC733036	3"	36"	3	Horse Hair
RPVC731072	1"	72"	3	Horse Hair
RPVC732072	2"	72"	3	Horse Hair
RPVC733072	3"	72"	3	Horse Hair
C RIGID PVC – 90 DEGREE	PROFILE			
RPVC831036	1"	36"	3	Horse Hair
RPVC832036	2"	36"	3	Horse Hair
RPVC833036	3"	36"	3	Horse Hair
RPVC831072	1"	72"	3	Horse Hair
RPVC832072	2"	72"	3	Horse Hair
RPVC833072	3"	72"	3	Horse Hair

Flexible and Rigid PVC Strip Brushes







TANIS Part no.	TRIM LENGTH	OVERALL LENGTH	NUMBER OF ROWS	FILL MATERIAL
A FLEXIBLE PVC – h-PROFIL	E			
FPVC141036	1"	36"	1	.008 Level Black Nylon
FPVC142036	2"	36"	1	.012 Level Black Nylon
FPVC143036	3"	36"	1	.020 Level Black Nylon
FPVC141072	1"	72"	1	.008 Level Black Nylon
FPVC142072	2"	72"	1	.012 Level Black Nylon
FPVC143072	3"	72"	1	.020 Level Black Nylon
B RIGID PVC – h-PROFILE				
RPVC211036	1"	36"	1	.008 Level Black Nylon
RPVC212036	2"	36"	1	.012 Level Black Nylon
RPVC213036	3"	36"	1	.020 Level Black Nylon
RPVC211072	1"	72"	1	.008 Level Black Nylon
RPVC212072	2"	72"	1	.012 Level Black Nylon
RPVC213072	3"	72"	1	.020 Level Black Nylon
C RIGID PVC – 90 DEGREE P	ROFILE			
RPVC311036	1"	36"	1	.008 Level Black Nylon
RPVC312036	2"	36"	1	.012 Level Black Nylon
RPVC313036	3"	36"	1	.020 Level Black Nylon
RPVC311072	1"	72"	1	.008 Level Black Nylon
RPVC312072	2"	72"	1	.012 Level Black Nylon
RPVC313072	3"	72"	1	.020 Level Black Nylon
B RIGID PVC – h-PROFILE				
RPVC711036	1"	36"	1	Horse Hair
RPVC712036	2"	36"	1	Horse Hair
RPVC713036	3"	36"	1	Horse Hair
RPVC711072	1"	72"	1	Horse Hair
RPVC712072	2"	72"	1	Horse Hair
RPVC713072	3"	72"	1	Horse Hair
C RIGID PVC – 90 DEGREE P	ROFILE			
RF V :81 D3 1	!"	36"	1	Horse Hair
ניר ויפי עיד	<u>?</u> "	36"	1	Horse Hair
RPVC813036	3"	36"	1	Horse Hair
RPVC811072		72"	1	Horse Hair

RPVC811072 We offer strip brush holders for our metal back strip brushes in extruded aluminum for #2½, #3, #4, #7 and #10 backing sizes, and in formed stainless steel in #4 and #7 backing sizes. A flexible PVC holder is also available for #2½ backing size. The holders are produ**Bey with an argine for straight and argine mounting**. The different profile shapes ensure the brush is mounted at an optimal position for maximum surface contact and effectiveness.


We stock aluminum holders with clear anodized finishes. The anodized finish provides the aluminum with a naturally protective coating, strengthening the durability and extending the life of the brush holder.

For our stapled set line, the all-in-one designs conveniently include The integrated Clip Style backing makes placing and moving the br easy mounting without needing to purchase a separate holder. We s with our new Fuze Flex[™] Strip Brushes.

24

www.newmantools.com

Flexible PVC Strip Brushes






TANIS Part no.	TRIM LENGTH	OVERALL LENGTH	NUMBER OF ROWS	FILL MATERIAL
D FLEXIBLE PVC – h-PROF	ILE			
FPVC151036	1"	36"	2	.008 Crimped Black Nylon
FPVC151072	1"	72"	2	.008 Crimped Black Nylon
FPVC152036	2"	36"	2	.012 Crimped Black Nylon
FPVC152072	2"	72"	2	.012 Crimped Black Nylon
FPVC153036	3"	36"	2	.020 Crimped Black Nylon
FPVC153072	3"	72"	2	.020 Crimped Black Nylon
E FLEXIBLE PVC – 90 DEG	REE PROFILE			
FPVC390136	1"	36"	2	.008 Crimped Black Nylon
FPVC390172	1"	72"	2	.008 Crimped Black Nylon
FPVC390236	2"	36"	2	.012 Crimped Black Nylon
FPVC390272	2"	72"	2	.012 Crimped Black Nylon
FPVC390336	3"	36"	2	.020 Crimped Black Nylon
FPVC390372	3"	72"	2	.020 Crimped Black Nylon

IN STOCK

Fuze Flex[™] Strip Brush

The Fuze Flex[™] Strip Brush is the newest technology in brush seal. With exceptional flexibility, the brush contours to irregular surfaces, solving sealing challenges and allowing attachment to an incredibly diverse range of materials. This brush is made by fusing backing with filament for a seamless all-in-one tool. When needed, cut to length with heavy scissors or wire cutters. Non-corrosive.



TANIS Part no.	BACKING SIZE	OVERALL TRIM	OVERALL LENGTH	FILL MATERIAL
FB251100	.125" x .127"	1"	100'	.006 Level Black Polypropylene
FB252100	.125" x .127"	2"	100'	.006 Level Black Polypropylene
FB253100	.125" x .127"	3"	100'	.006 Level Black Polypropylene
FB310100	.160" x .200"	1"	100'	.006 Level Black Polypropylene
FB320100	.160" x .200"	2"	100'	.010 Level Black Polypropylene
FB330100	.160" x .200"	3"	100'	.012 Level Black Polypropylene
FB410100	.200" x .185"	1"	100'	.010 Level Black Polypropylene
FB420100	.200" x .185"	2"	100'	.010 Level Black Polypropylene
FB430100	.200" x .185"	3"	100'	.012 Level Black Polypropylene
FB440100	.200" x .185"	4"	100'	.012 Level Black Polypropylene
FB450100	.200" x .185"	5"	100'	.012 Level Black Polypropylene




We offer strip brush holders for our metal back strip brushes in extruded aluminum for #2½, #3, #4, #7 and #10 backing sizes, and in formed stainless steel in #4 and #7 backing sizes. A flexible PVC holder is also available for #2½ backing size. The holders are produced with a variety of profile shapes for straight and angled mounting. The different profile shapes ensure the brush is mounted at an optimal position for maximum surface contact and effectiveness.

We stock aluminum holders with clear anodized finishes. The anodized finish provides the aluminum with a naturally protective coating, strengthening the durability and extending the life of the brush holder.


For our stapled set line, the all-in-one designs conveniently include holders, which are available in two styles: Clip Style and h-Profile. The integrated Clip Style backing makes placing and moving the brush fast and easy. The integrated h-Profile allows for quick and easy mounting without needing to purchase a separate holder. We stock flexible PVC holders in Clip Style and h-Profile to match with our new Fuze Flex[™] Strip Brushes.

Fuze Flex[™] Strip Brush Holders



FB25 Backing Holders


TANIS Part no.	OVERALL LENGTH
A FPH250060	5'
A FPH250100	100'





FB4 Backing Holders

TANIS Part no.	OVERALL LENGTH	PROFILE
B FPH410060	5'	180°
B FPH410120	10'	180°
FPH420060	5'	90°
C FPH420120	10'	90°
FPH430060	5'	Clip 90°
FPH430120	10'	Clip 90°







Our commitment to you: To design and build brushes that can help fix an on-going problem with your operation or process. We've literally designed and built thousands of full custom and modified standard brushes for our customers, which include dozens of large and small OEMs to end users in the food service industry. This service is what separates us from other brush companies. Using the latest technologies, newest materials and our team of experienced engineers, we can design and make a brush that meets your expectations. Ranging from oversize to micro-size, industry specific colors, temperature performance, durability requirements or problem solving design, we've got you covered!

