

SAFETY DATA SHEET in accordance with 2001 / 58 / EC

Trade name: Simichrome Polish

Issued: June 01, 2010

Revision: 03

Competition Chemicals Inc
P.O. Box 820
Iowa Falls, IA 50126
641-648-5122

Page 1 of 5

1 Identification of the preparation and company

Product details

Trade name: Simichrome Polish

Use: Cleaning and polishing metals

Supplier: Happich Fahrzeug- und Industrieteile GmbH
Konsumstr. 45
D-42285 Wuppertal

Emergency telephone number of the company: 641-648-5121

2 Composition / Information on ingredients

Chemical characterization

Polish based on aluminum oxide, dispersed in water/solvent emulsion.

Hazardous ingredients:

EINECS	CAS-No.	Component	wt. %	Symbol	R-Phrases
265-185-4	64742-82-1	White spirit 150/200	10 - 15	Xn, N	10-38-65-66-67-51/53
232-366-4	8008-20-6	Kerosene 200-230	10 - 15	Xn	10-38-65-66
215-647-6	1336-21-6	Ammonia solution (25 %)	1 - 5	C, N	34-50

Remarks: The classification of a product would be indicated under section 15.
Wording of R-phrases see section 16

3 Hazards identification

Hazard designation: Irritant.

Information pertaining to particular dangers for man and environment:
Irritating to skin.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4 First aid measures

General information:

Inhalation: Fresh air and keep at rest until symptoms resolve. If pain persists, get medical attention.

Skin contact: Wash off with plenty of water and soap.

Eye contact: Immediately flush eyes with plenty of water with lids lifted. If irritation persists seek medical advice.

Ingestion: In case of ingestion, drink water. Do not induce vomiting. Seek medical advice.

SAFETY DATA SHEET in accordance with 2001 / 58 / EC

Trade name: **Simichrome Polish**

Revision: 03

Page 2 of 5

5 Fire-fighting measures

This preparation is not flammable and does not support combustion. The following applies for a fire involving this preparation.

Suitable extinguishing agents: Foam, water spray jet, powder, carbon dioxide, sand, earth.

Unsuitable extinguishing media: Full water jet.

Fire and explosion hazards: In case of fire, product may form: unburnt hydrocarbons, oxides of nitrogen, oxides of sulphur, carbon monoxide.

Protective equipment: Do not breath vapors. Wear self-contained breathing apparatus.

6 Accidental release measures

Personal precautions: Ensure adequate ventilation. Avoid contact with eyes and skin. See also section 8.

Measures for environmental protection: Do not allow larger quantities to enter the sewage system / ground / soil.

Inform responsible authorities after accidental conduction of larger quantities.

Measures for cleaning / collecting: If possible ventilate the area. Remove from surface with a cloth or mechanically. Place in suitable containers. Disposal according to section 13.

7 Handling and storage

Handling

Information for safe handling:

Use in well ventilated areas. Observe the usual precautionary measures for handling chemicals.

Wear suitable gloves if prolonged exposure is anticipated.

Precautions in case of fire and explosion: No special measures required.

Storage

Requirements to be met by storerooms and containers:

Provide sufficient ventilation. Floor must be resistant against solvents.

Information about storage in one common storage facility: Store away from oxidizing agents.

Further information on storage conditions: Store in a cool, dry, frost free place. Keep out of reach of children.

8 Exposure controls and personal protection

Additional information on design of technical systems: Ensure adequate ventilation.

Components with critical values that require monitoring at the workplace:

The product contains white spirit which has an Occupational Exposure Limit of: MAK 500mg/m³
(Source: German TRGS)

(For monitoring exposure limits of ingredients of a preparation are only conditionally suitable)

General protective and hygienic measures:

Avoid contact with eyes and skin. Do not eat, drink or smoke during work.

Personal protective equipment

SAFETY DATA SHEET in accordance with 2001 / 58 / EC

Trade name: Simichrome Polish

Revision: 03

Page 3 of 5

Respiratory protection: None necessary under normal working conditions.

Hand protection: PVC or rubber gloves with prolonged use.

Eye protection: chemical resistant goggles if eye contact can accidentally occur.

Skin protection: Wear an apron or coveralls if exposure is likely to be prolonged.

The product does not present a significant hazard in normal use. Data above refers to prolonged contact with large quantities of product.

9 Physical and chemical properties

Form: Paste

Colour: slightly red

Odour: slightly ammonia

Safety-relevant data

Flash point : 51,5 °C

pH-value (as is) : 9,5 - 11,5

Other data

Density (g/ml): 1,13 - 1,17

Solubility in water: dispersible, emulsifiable

Viscosity: 60.000 - 90.000 cps (20 °C)

Kinematic viscosity: > 7x10⁻⁶ m²/sec (40°C)

10 Stability and reactivity

Thermal decomposition / Conditions to avoid:

Stable under normal conditions. Avoid temperatures exceeding 50°C.

Hazardous reactions:

Avoid contact with strong oxidizing agents.

Hazardous decomposition products

No decomposition if used under normal conditions. See section 5 for combustion products.

11 Toxicological information

This product contains white spirit and kerosene for which the following apply:

Inhalation: Vapour concentrations above recommended exposure limits are irritating to the eyes and respiratory tract, may cause headaches and dizziness, are anesthetic and may have other central nervous system effects.

Skin contact: Low order of toxicity, frequent or prolonged contact may cause dermatitis.

Eye contact: Irritating but does not injure eye tissue.

Ingestion: Minimal toxicity. The viscosity of this preparation mitigates the risk of aspiration into the respiratory system during ingestion or vomiting.

12 Ecological information

This product contains 10-20% of white spirit which is highly volatile and will rapidly

SAFETY DATA SHEET in accordance with 2001 / 58 / EC

Trade name: Simichrome Polish

Revision: 03

Page 4 of 5

evaporate to the air if released into the environment. Based upon data for similar materials white spirit is classified as R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

White spirit is expected to biodegrade rapidly and be "readily" biodegradable according to OECD guidelines. It can degrade rapidly in air and is expected to be removed in a waste water treatment facility.

Although data exists to show that white spirit is not expected to persist in the aquatic environment, European Classification rules require that it has to be classified as a potentially causing long-term adverse effects in the aquatic environment.

Other ecological information:

Do not allow product to reach ground water, water bodies or sewage system.

13 Disposal considerations

Product

Recommendation: Dispose of in accordance with all applicable local and national regulations.

Waste no.: 20 01 29

Uncleaned packaging

Recommendation: in accordance with local and national regulations.

14 Transport information

Not classified as hazardous for international transport by land, sea or air.

15 Regulatory information

Classification and labelling according to EC directives

Symbol: Xi

Classification: Irritant

R - phrases: R38: Irritating to skin.
R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S - phrases: S2: Keep out of the reach of children.
S24: Avoid contact with skin.
S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S28: After contact with skin, wash immediately with plenty of water.
S46: If swallowed, seek medical advice immediately and show this container or label.

National regulations

For the distribution or handling please comply with the national (regional) regulations or any other national measures that may be relevant.

SAFETY DATA SHEET in accordance with 2001 / 58 / EC

Trade name: Simichrome Polish

Revision: 03

Page 5 of 5

For additional information please observe the German version of the present Safety Data Sheet.

16 Other information

List of relevant R-phrases in section 2:

- R10: Flammable.
- R34: Causes burns.
- R38: Irritating to skin.
- R50: Very toxic to aquatic organisms.
- R51/53: Toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment.
- R65: Harmful: May cause lung damage if swallowed.
- R66: Repeated exposure may cause skin dryness or cracking.
- R67: Vapours may cause drowsiness and dizziness.


Additional information

The information provided in this Safety Data Sheet is correct to our best knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.


HAPPICH
Fahrzeug- und Industrieteile GmbH

HAPPICH Fahrzeug- und Industrieteile GmbH

North 20 06 61 - D-42206 Wuppertal


i.V. Joaquin Borge Sanchez

(Export Manager)


i.V. Andreas Hain

(Sales Manager North America)