Ullman

WE SET THE STANDARDS



World Leader and Originator of
Quality Specailty Tools for Over 70 Years

www.newmantools.com tel 1-800-465-1384 fax 1-800-605-2442

Ullman

Inspection Mirrors

For all angle viewing

Original All-Angle Ball Joint Mirrors with brushed finish stainless steel mirror backs. Fast, accurate visual inspection of hidden areas with an almost limitless number of positions. Double ball joint links swivel mirrors for viewing to 360°. Ullman's precision engineered links are manufactured from tempered spring steel to withstand the stresses of constant repositioning, move freely, hold desired position.

K-2 SERIES



K-2 Rectangular Telescoping Mirror
2⅛" x 3½" mirror.
Overall length 11¼", extends to 15¼".
Std. pkg. 1 doz.
Pkg. wt. 4 lbs. 3 oz.

K-2L Rectangular Telescoping Mirror, extra long handle
2⅛" x 3½" mirror.
Overall length 17¼", extends to 27½".
Std. pkg. 1 pc.
Pkg. wt. 7 oz.

K-2M Rectangular Magnifying Telescoping Mirror
2⅛" x 3½" mirror.
Overall length 11¼", extends to 15¼".
Std. pkg. 1 pc.
Pkg. wt. 5 oz.

K-2ML Rectangular Magnifying Telescoping Mirror
2⅛" x 3½" mirror.
Overall length 17¼", extends to 27½".
Std. pkg. 1 pc.
Pkg. wt. 7 oz.

C-2 SERIES

C-2 Circular Telescoping Mirror
2¼" mirror diam.
Overall length 10", extends to 14".
Std. pkg. 1 doz.
Pkg. wt. 3 lbs. 10 oz.

C-2L Circular Telescoping Mirror, extra long handle
2¼" mirror diam.
Overall length 16", extends to 26".
Std. pkg. 1 pc.
Pkg. wt. 6 oz.

C-2M Circular Magnifying Telescoping Mirror
2¼" mirror diam.
Overall length 10", extends to 14".
Std. pkg. 1 pc.
Pkg. wt. 5 oz.

C-2ML Circular Magnifying Telescoping Mirror
2¼" mirror diam.
Overall length 16", extends to 26".
Std. pkg. 1 pc.
Pkg. wt. 6 oz.

S-2 SERIES



S-2 Circular Telescoping Mirror
3¼" mirror diam.
Overall length 11", extends to 15".
Std. pkg. 1 doz.
Pkg. wt. 4 lbs.

S-2L Circular Telescoping Mirror, extra long handle
3¼" mirror diam.
Overall length 17", extends to 27¼".
Std. pkg. 1 pc.
Pkg. wt. 7 oz.

FEATURES
- Replaceable clear glass mirrors for perfect reflection.
- Telescoping and pocket models.
- Non-rotating inner hex rods on telescopic models prevent mirrors from swinging out of alignment when in use.
- Insulating vinyl grip on all models.

A-2 SERIES

A-2 Circular Pocket Mirror
⅞" mirror diam.
Overall length 7½".
Std. pkg. 1 doz.
Pkg. wt. 1 lb. 4 oz.

A-2M Circular Magnifying Pocket Mirror
⅞" mirror diam.
Overall length 7½".
Std. pkg. 1 pc.
Pkg. wt. 2 oz.

E-2 SERIES

E-2 Circular Pocket Mirror
1¼" mirror diam.
Overall length 8".
Std. pkg. 1 doz.
Pkg. wt. 1 lb. 6 oz.

E-2M Circular Magnifying Pocket Mirror
1¼" mirror diam.
Overall length 8".
Std. pkg. 1 pc.
Pkg. wt. 2 oz.

B-2 SERIES

B-2 Oval Pocket Mirror
1" x 2" mirror.
Overall length 8½".
Std. pkg. 1 doz.
Pkg. wt. 1 lb. 7oz.

Refill Mirrors and Head Assemblies

Refill Mirrors Only

Model No.	Mirror Size	Pkg. Wt.
B-2R	Oval 1" x 2"	2 oz.
K-2R	2⅛" x 3½"	10 oz.

Note: Refill Mirrors, Std. pkg. 1 doz.

Refill Head Assemblies

Model No.	Mirror Size	Pkg. Wt.
A-2HD	⅞" dia.	1 oz.
B-2HD	1" x 2" oval	1 oz.
C-2HD	2¼" diam.	2 oz.
E-2HD	1¼" diam.	1 oz.
K-2HD	2⅛" x 3½"	2 oz.
S-2HD	3¼" diam.	2 oz.

Refill Magnifying Mirrors Only

Model No.	Mirror Size	Pkg. Wt.
K-2MR	2⅛" x 3½"	1 oz.

Refill Magnifying Mirrors Head Assemblies

Model No.	Mirror Size	Pkg. Wt.
A-2MHD	⅞" diam.	1 oz.
C-2MHD	2¼" diam.	2 oz.
E-2MHD	1¼" diam.	1 oz.
K-2MHD	2⅛" x 3½"	2 oz.

Ullman

Telescoping Inspection Mirrors

For all angle viewing

- *Clear glass mirror for perfect reflection.*
- *All-angle ball joint holds mirror firmly for 360° viewing.*
- *Mirror encased in rugged corrosion resistant brushed stainless steel.*
- *Comfortable textured cushion grip keeps handle secure even in wet or oily hands.*

SEE PAGE 15 FOR DISPLAY

**** LONGER, STRONGER AND LIGHTWEIGHT***
Unique combination of features make these Inspection Mirrors the ones you will keep within reach at all times.

HT-E2

Circular Telescoping Inspection Mirror

Stainless steel telescoping handle is strong, long, and lightweight.

1¼" mirror diam.

Telescopes from 6½" to 35".

Std. pkg. 1 doz.
Pkg. wt. 2 lbs. 2 oz.

HT-C2

Circular Telescoping Inspection Mirror

Stainless steel telescoping handle is strong, long, and lightweight.

2¼" mirror diam.

Telescopes from 6½" to 36⅜".

Std. pkg. 1 doz.
Pkg. wt. 3 lbs. 2 oz.

HT-S2

Circular Telescoping Inspection Mirror

Stainless steel telescoping handle is strong, long, and lightweight.

3¼" mirror diam.

Telescopes from 6½" to 29½".

Std. pkg. 1 doz.
Pkg. wt. 3 lbs.10 oz.

HTA2-T

Circular Telescoping Inspection Mirror

⅞" mirror diam.

Telescopes from 5 5/16" to 27 1/8".

Std. pkg. 1 doz.
Pkg. wt. 1 lb. 5 oz.

HTE2-T

Circular Telescoping Inspection Mirror

1¼" mirror diam.

Telescopes from 5 5/16" to 27½".

Std. pkg. 1 doz.
Pkg. wt. 1 lb. 6 oz.

HTB2-T

Oval Telescoping Inspection Mirror

1" x 2" oval mirror.

Telescopes from 5 5/16" to 28¼".

Std. pkg. 1 doz.
Pkg. wt. 1 lb. 6 oz.

Ullman

Pocket Telescoping Inspection Mirrors

Perfect for seeing behind or around pipes or panels. . . inspecting on the production line or to check hidden areas on engines, boats. Bright chrome-plated telescopic handles work smoothly. Double ball joints swivel for viewing a full 360°.

Precision engineered links of tempered spring steel withstand stress of constant repositioning, move freely and hold desired position. Clear glass mirrors for perfect reflection are replaceable, have brushed finish stainless steel backs.

A-2T

Circular Telescopic Inspection Mirror

⅞" mirror diam.

Extends to 18".
Closes down to 4½".

Std. pkg. 1 doz.
Pkg. wt. 15 oz.

E-2T

Circular Telescopic Inspection Mirror

1¼" mirror diam.

Extends to 18½".
Closes down to 4½".

Std. pkg. 1 doz.
Pkg. wt. 1 lb. 10 oz.



B-2T

Oval Telescopic Inspection Mirror

1" x 2" oval mirror.

Extends to 19½".
Closes down to 4½".

Std. pkg. 1 doz.
Pkg. wt. 1 lb. 2 oz.

Ullman

Pocket Telescoping Inspection Mirror with Magnetic Pick-up Tools

- **Two handy tools in one!**
- **All-angle ball joints holds mirror firmly at any angle.**
- **Powerful long-life magnet.**

Strong long-life magnet is ideal for retrieving nuts, bolts and tools in hard-to-reach areas.

A-2TM

Circular Telescopic Inspection Mirror/ Magnetic Pick-Up Tool

⅞" round mirror and magnetic pick-up tool

Telescopes 5 5⁄8" to 19 1⁄2".

Std. pkg. 1 doz.
Pkg. wt. 1 lb. 6 oz.



E-2TM

Circular Telescopic Inspection Mirror/ Magnetic Pick-Up Tool

1 1⁄4" round mirror and magnetic pick-up tool

Telescopes 5 5⁄8" to 19 7⁄8".

Std. pkg. 1 doz.
Pkg. wt. 1 lb. 7 oz.

B-2TM

Oval Telescopic Inspection Mirror/ Magnetic Pick-Up Tool

1" x 2" oval mirror and magnetic pick-up tool

Telescopes 5 5⁄8" to 20 3⁄4".

Std. pkg. 1 doz.
Pkg. wt. 1 lb. 8 oz.

Ullman

Telescoping Magnifying Glass

MAGNIFYING

Magnifies part numbers, serial numbers and hidden areas for better viewing.

- Shatter resistant magnifying head telescopes 6 7⁄8" to 36 1⁄8" .
- All-angle ball joint holds magnifying head firmly at any angle.
- Stainless steel telescoping handle is long, strong and lightweight.
- Comfortable textured cushion grip handle will not slip in wet or oily hands.

MG-2

2 3⁄8" diam. magnifying head.

Std. pkg. 1 doz.
Pkg. wt. 3 lbs. 4 oz.

Ullman

Inspection Mirrors

Welding and Inspection Mirrors

Heavy-duty with extra powerful magnetic base

Perfect for welding in awkward places. Mounts and adjusts in seconds to bring hidden areas into full view.

MX

Retangular Magnetic Base Inspection Mirror

2 1⁄8" x 3 1⁄2" quick-change replacable mirror

Std. pkg. 1 pc.
Pkg. wt. 1 lb.

C-2X

Circular Magnetic Base Inspection Mirror

2 1⁄4" mirror diam.

Std. pkg. 1 pc.
Pkg. wt. 3 1⁄2 oz.

S-2X

Circular Magnetic Base Inspection Mirror

3 1⁄4" mirror diam.

Std. pkg. 1 pc.
Pkg. wt. 4 1⁄4 oz.

Magnetic Pick-Up Tools

Telescoping MegaMag® Magnetic Pick-up Tool

Lifts 16 lbs.

Goblet-shaped head pushes flux to the top of the magnet.

GM-2

- Telescopes from 7 1/8" to 30 1/4".
- Head shields the sides of the magnet from attaching to unwanted metal surfaces
- Stainless steel handle is long, strong and lightweight
- Comfortable textured cushion pistol grip keeps handle secure even in wet or oily hands.

Std. pkg. 1 doz.
Pkg. wt. 3 lbs. 3 oz.

MegaMag Patent numbers: 6392517, D446701

Dual Tool Telescoping MegaMag® Magnetic Pick-Up Tool with Inspection Mirror.

Lifts 16 lbs.

Mirror with metal base mounts to MegaMag in seconds to bring hidden areas into full view.

GMC-2

- 2 1/4" diam. mirror
- Telescopes from 9" to 34 1/4".

Std. pkg. 1 doz.
Pkg. wt. 4 lbs. 7 oz.

PATENT PENDING

Telescoping Magnetic Pick-Up Tools with Powercap®

Lifts at least 45% with the Powercap, and it shields the sides of the magnet from attaching to unwanted metal surfaces.

- Stainless steel handle is long, strong and lightweight.
- Pocket clip keeps it handy and secure
- Comfortable textured cushion grip keeps handle secure even in wet or oily hands.

SEE PAGE 15 FOR DISPLAY

Powercap Patent numbers: 5999074, 5945901, D413497, D397006

HT-1

Powercap® Telescoping Magnetic Pick-up Tool

Lifts 1 1/2 lbs. over 2 lbs with Powercap®

Telescopes from 6 5/8" to 33 1/4".

Std. pkg. 1 doz.
Pkg. wt. 2 lbs. 5 oz.

HT-2

Powercap® Telescoping Magnetic Pick-up Tool

Lifts 3 1/2 lbs. over 5 lbs with Powercap®

Telescopes from 6 5/8" to 33 1/4".

Std. pkg. 1 doz.
Pkg. wt. 2 lbs. 5 oz.

HT-3

Powercap® Telescoping Magnetic Pick-up Tool

Lifts 5 lbs. over 10 lbs with Powercap®

Telescopes from 6 3/4" to 30 1/4".

Std. pkg. 1 doz.
Pkg. wt. 2 lbs. 8 oz

Pocket Telescoping Magnetic Pick-Up Tools

HT-5DIS
Counter top display contains five red and five black HT-5.

Std. pkg. 12 pcs.
Pkg. wt. 14 oz.

HT-5

Powercap® Pocket Telescoping Magnetic Pick-up Tool

Lifts 1 1/2 lbs. over 3 lbs with Powercap®

Telescopes from 5 1/2" to 25 1/2".

Std. pkg. 1 doz.
Pkg. wt. 3 lbs. 5 oz.

No. 19X

Pocket Telescoping Magnetic Pick-up Tool

Powerful enough to pick up ferrous metal objects weighing 3 1/2 lbs.

Telescopes from 5 7/8" to 25 5/8".

Std. pkg. 1 doz.
Pkg. wt. 2 lbs. 2 oz.

Chrome-Plated

No. 15X*

Pocket Telescoping Magnetic Pick-up Tool

Picks up ferrous metal objects weighing 1 1/2 lbs.

Telescopes from 5 7/8" to 25 9/16".

Std. pkg. 1 doz.
Pkg. wt. 2 lbs. 2 oz.

*Available in
15XOR Bright Orange
15XGR Neon Green
15X Chrome-Plated



Magnetic Pick-Up Tools

Neodymium-Iron-Boron Magnets have greater pick-up power and outperforms the standard Alnico V magnets 4 to 1

Heavy Duty
No. 21X
Telescoping with Rotating Aluminum Head

Powerful enough to pick up ferrous metal objects weighing 5 lbs.

Ball joint holds aluminum head firmly at any angle

Insulating vinyl grip

Telescopes from 16¾" to 26½".

Std. pkg. 1 doz.
Pkg. wt. 5 lbs. 5 oz.

Super Strength
No. 14X
Flex Magnet Retrieving Tool



Powerful enough to pick up ferrous metal objects weighing 1½ lbs.

Bendable aluminum shaft remains in position

Long 21 9/16" reach

Std. pkg. 1 doz.
Pkg. wt. 2 lbs.

Easy to Retrieve
No. 12X
Flexible On/Off Magnetic Pick-up Tool

Powerful enough to pick up ferrous metal objects weighing 1½ lbs.

Flexible for snaking through difficult areas

Simply push plunger to activate magnet. To deactivate magnet release button.

22" long.

Std. pkg. 1 doz.
Pkg. wt. 3 lbs. 2 oz.

Deactivated

Activated

Super Strength
No. 8X
Pocket Magnetic Pick-up Tool

Powerful enough to pick up ferrous metal objects weighing 1½ lbs.

Pencil shaped 6" aluminum handle with handy pocket clip

Std. pkg. 1 doz.
Pkg. wt. 1 lb. 2 oz.

Magnetic Pick-Up Tools

The original all-angle magnetic retrieving tool with Molded Nylon Heads

This is the original magnetic pick-up tool that is perfect for retrieving nuts, bolts, even metal hand tools dropped while working on engines, boats or any place where pipes, panels or parts get in the way.

Perfect for use under water, oil, etc.



No. 1
Magnetic Pick-up Tool

Telescopes from 16¾" to 26¾".

Std. pkg. 1 doz.
Pkg. wt. 5 lbs. 8 oz.

No. 2
Magnetic Pick-up Tool

Telescopes from 10⅝" to 14⅝".

Std. pkg. 1 doz.
Pkg. wt. 3 lbs. 13 oz.

No. 3
Magnetic Pick-up Tool

With pocket clip. Overall length 8½". Folds to compact 6" for pocket storage.

Std. pkg. 1 doz.
Pkg. wt. 1 lb. 5 oz.

No. 4T
Pocket Telescopic Magnetic Pick-up Tool

Extends to a full 19½", yet closes down to 4½".

Std. pkg. 1 doz.
Pkg. wt. 1 lb. 1 oz.

No. 6F
17½" Spring-Flex Magnetic Pick-up Tool

Tightly wound flexible shaft of spring tempered steel links to probe easily into most remote areas for ferrous metal objects. High power permanent magnet provides a lifetime of pulling power.

Overall length 17½"

Std. pkg. 1 doz.
Pkg. wt. 3 lbs. 3 oz.

No. 6FL
25" Spring-Flex Magnetic Pick-up Tool

Same as 6F but with overall length 25".

Std. pkg. 1 doz.
Pkg. wt. 2 lbs. 12 oz.

No. 9
Magnetic Pick-up Tool Insulated Pocket Magnet

Made of insulating polypropylene — unaffected by oil or gasoline — virtually unbreakable. Powerful life-long magnet. Pencil shaped, 6"long. Supplied with pocket clip

Std. pkg. 1 doz.
Pkg. wt. 12 oz.

No. 10-T
Pocket Telescopic Magnetic Pick-up Tool

Extends out to 18¼". Closes down to convenient 5¾" pocket size.

Std. pkg. 1 doz.
Pkg. wt. 1 lb. 2 oz.

Ullman

Additional Magnetic and Retrieving Tools

No. 5
Magnetizer/Demagnetizer

Magnetizes and demagnetizes screwdrivers and other small tools.

Overall size 1 1/16" x 1 1/16" x 1 1/16".

Std. pkg. 1 doz.
Pkg. wt. 2 lbs. 1 oz.





NO. 7
Magnetic Safety Feeder Tool

Feeds and retrieves hard-to-handle ferrouse metal parts. Reduces press accidents. Permanent magnet lifts up to 10 lbs. Chrome finished with easy grip fluted handle.

Overall length 14".

Std. pkg. 1 pc.
Pkg. wt. 12 oz.





No. 16
Flexible Spring Claw

Overall length 23 1/2".

Std. pkg. 1 doz.
Pkg. wt. 2 lbs. 12 oz.

No. 17
Flexible Spring Claw

Overall length 13 1/2".

Std. pkg. 1 doz.
Pkg. wt. 2 lbs.

Ullman

Scribers, Hooks & Picks

No. 1830
Pocket Scriber

Sharp tungsten carbide tip cuts into hard surfaces, leaves clear mark on metal, glass, plastic, tools.

All-in-one "Push-Click" SAFETY COVER on tungsten carbide with magnetic pick up.

Overall length 5 7/16".

Std. pkg. 1 doz.
Pkg. wt. 15 oz.

To protect tip - just turn cover clockwise. It automatically "clicks" shut!

To expose tip - just pull cover down - and twist. It locks in position.

No. 1820
Utility Packing Hook with magnetic pick-up handle

Hook is used for removing springs, wadding, washers, "O" rings — prying stuck gaskets loose.

Handy steel hook for any tool box; repairmen, technicians, service personnel. With a strong steel shaft, hook, aluminum handle, and magnetic end to retrieve dropped nuts, bolts, washers, parts.

Overall length 7".

Std. pkg. 1 doz.
Pkg. wt. 15 oz.

No. 1810
Double Pointed Scriber

Scriber has straight and 90° angle points for marking in awkward places

Heat-treated, bright polished, high carbon needle steel points. For technician or craftsman who need a sharp marking tool that works in cramped quarters, as well as, in regular applications. Knurled aluminum handle gives sure grip.

Overall length 9 1/2".

Std. pkg. 1 doz.
Pkg. wt. 1 lb. 2 oz.

www.newmantools.com tel 1-800-465-1384 fax 1-800-605-2442

Ullman

Scribers, Hooks & Picks

- *Remove small fuses, "O" rings*
- *Separate small wires in awkward places*
- *Retrieve nuts, bolts, washers, and loose parts too small to pick-up with fingers*
- *Mark metal, plastic, surfaces*

SW-10

Swinger

Combination reversible pick and hook. Like an extra long finger for jobs in awkward places. Just swivel out the end you want, the other tucks safely away.

Lightweight aluminum handle.

Overall length 7 7/8".

Std. pkg. 1 doz.
Pkg. wt. 1 lb. 10 oz.

"Literally a tool of 1,001 uses!"



H4W-E Handle
Hex-shaped aluminum handle with magnet. Magnet picks up nuts, bolts, screws and other ferrous parts.





H4W

4-Piece Hook & Pick Set

Set includes these four screw-in tips plus handle.

Overall length 6 9/16".

Std. pkg. 12 pcs.
Pkg. wt. 1 lb. 10 oz.

Comes packaged in zippered top vinyl pouch.

MP-6

5-Piece Micro Pick Set

These picks are ideal for soldering, glueing, positioning, adjusting and retrieving small parts. The needle tips are made of a high quality stainless steel and the set comes packaged in a zippered top vinyl pouch.

Overall length 5 9/16".

Std. pkg. 12 pcs.
Pkg. wt. 1 lb. 2 oz.

PSP-4

4-Piece Hook & Pick Set with Screwdriver Type Handles

Each hook and pick is made of high carbon polished steel and is permanently inserted into a sturdy plastic handle.

Overall length 5 1/16".

Std. pkg. 12 pcs.
Pkg. wt. 2 lbs. 10 oz.

Sold as set or individually.

Ullman

Scribers, Hooks & Picks



9 3/4" long



CHP6-L

6 Piece Individual Hook and Pick Set

Available as a set or individually

Cushioned textured grip will not slip in wet or oily hands

Threaded replacement picks are available

Std. pkg. 12 pcs.
Pkg. wt. 4 lbs. 7 oz.

9 3/4" long

CHP4-L

4 Piece Individual Hook and Pick Set

Available as a set or individually. Cushioned textured grip will not slip in wet or oily hands. Threaded replacement picks are available

Std. pkg. 12 pcs.
Pkg. wt. 3 lbs. 3 oz.

6 7/8" long



CHP4

4 Piece Individual Hook and Pick Set

Each hook and pick is made of high carbon polished steel and is permanently attached to a cushioned textured grip that will not slip in wet or oily hands

Std. pkg. 12 pcs.
Pkg. wt. 2 lbs. 5 oz.

6 5/16" long



PH-4

4 Piece Individual Hook and Pick Set

Each hook and pick is made of high carbon polished steel and is permanently attached to a hex shaped aluminum handle.

Std. pkg. 12 pcs.
Pkg. wt. 2 lbs.

Heavy-Duty Ratchet Piston Ring Compressors

Special processing doubles tension-band life.

Enlarged crimped edge prevents compressor from entering cylinder.

Highest quality tempered blue spring steel.

RC-1
Piston Ring Compressor

2⅛" to 5" capacity.

Fits all passenger cars.
2-band ratchet type.

Std. pkg. 1 doz.
Pkg. wt. 8 lbs. 6 oz.

RC-2
Piston Ring Compressor

3½" to 7" capacity.

Fits all light trucks.
2-band ratchet type.

Std. pkg. 1 doz.
Pkg. wt. 9 lbs. 8 oz.

RC-T3
Piston Ring Compressor



3½" to 7" capacity.

Fits all heavy trucks, tractors and diesels. 4-band ratchet type.
Overall height 6½".

Std. pkg. 1 pc.
Pkg. wt. 1 lb. 11 oz.

RC-0
Piston Ring Compressor

2⅛" to 5" capacity.
Low priced non-ratchet type.
Fits all passenger cars and light trucks.

Std. pkg. 1 doz. Pkg. wt. 4 lbs. 4 oz.

RC-09
Same as RC-0 but with key.
Std. pkg. 1 doz. Pkg. wt. 5 lbs. 4 oz.

Not Illustrated

RC-0S
Piston Ring Compressor

1½" to 4" capacity.
Low priced non-ratchet type. For sports cars, out-boards, lawn mowers.
Std. pkg. 1 doz. Pkg. wt. 3 lbs. 14 oz.

RC-90S
Same as RC-0S but with key.
Std. pkg. 1 doz. Pkg. wt. 9 lbs. 12 oz.

Universal Spark Plug Gap Gauge

Easy to Read
SG-2

- Scaled from .020" to .100" (0.5mm to 2.4mm).
- Pewter plating makes the inches and millimeters more legible for the user to read.
- Easy accurate spark plug adjustment.
- Flanged edge for electrode bending.
- Beveled round hole for opening gap.
- 1½" diameter.

Std. pkg. 1 doz.
Pkg. wt. 10 oz.

1/4 in. Bit Holder

BH-2

- **Holds up to 21 — 1/4" bits.**
- **Made from a sturdy unbreakable vinyl.**

Ullman's new Bit Holder keeps bits neat and organized which prevents loss of bits that would normally be scattered in a tool drawer or on a tool bench. Handy pocket size — ideal for carrying bits to the job.

Std. pkg. 1 doz.
Pkg. wt. 1lb.



This sturdy vinyl holder holds up to 21 bits securely, yet they are easy to remove when needed.

Ullman

Mechanical Screw Starters

For ferrous or non-ferrous screws

Tool releases and resets automatically. Slender aluminum or electric-shock resistant nylon handles, for easy access into close areas.

Should a screw, washer or nut be dropped into a hard-to-reach area, it can easily be retrieved by turning the tool around and using the strong full 1" permanent magnet on the opposite end of the aluminum handle screw starter.

Standard Slotted Screw Starters

Aluminum in 4 sizes

D-1
Screw Starter
Overall Length 2 5/8".
Std. pkg. 10 ea.
Pkg. wt. 9 oz.

D-2
Screw Starter
With pocket clip
Overall Length 5 5/8".
Std. pkg. 10 ea.
Pkg. wt. 12 oz.

D-3
Screw Starter
Overall Length 9 5/8".
Std. pkg. 10 ea.
Pkg. wt. 1 lb. 2 oz.

D-4
Screw Starter
Overall Length 15 1/8".
Std. pkg. 6/bulk.
Pkg. wt. 9 oz.

Electric Shock-Resistant Nylon Handles in 4 sizes

N-1
Nylon Screw Starter
Overall Length 2 11/16".
Std. pkg. 5/box.
Pkg. wt. 2 oz.

N-2
Nylon Screw Starter
Overall Length 6 1/8".
Std. pkg. 5/box.
Pkg. wt. 3 oz.

N-3
Nylon Screw Starter
Overall Length 9 1/8".
Std. pkg. 5/box.
Pkg. wt. 4 oz.

N-4
Nylon Screw Starter
Overall Length 15 3/16".
Std. pkg. 5/box.
Pkg. wt. 6 oz.

Phillips Head Screw Starters

Aluminum in 4 sizes

PD-9
Screw Starter
Overall Length 2 3/4".
Std. pkg. 10 ea.
Pkg. wt. 9 oz.

PD-10
Screw Starter
With pocket clip
Overall Length 5 3/4".
Std. pkg. 10 ea.
Pkg. wt. 12 oz.

PD-11
Screw Starter
Overall Length 9 3/4".
Std. pkg. 10 ea.
Pkg. wt. 1 lb. 2 oz.

PD-12
Screw Starter
Overall Length 15 1/4".
Std. pkg. 6/bulk.
Pkg. wt. 9 oz.

Electric Shock-Resistant Nylon Handles in 4 sizes

PN-9
Nylon Screw Starter
Overall Length 2 13/16".
Std. pkg. 5/box.
Pkg. wt. 2 oz.

PN-10
Nylon Screw Starter
Overall Length 6 1/4".
Std. pkg. 5/box.
Pkg. wt. 3 oz.

PN-11
Nylon Screw Starter
Overall Length 9 1/4".
Std. pkg. 5/box.
Pkg. wt. 4 oz.

PN-12
Nylon Screw Starter
Overall Length 15 5/16".
Std. pkg. 5/box.
Pkg. wt. 6 oz.

Double-Ended Screw Starters

Mechanical Screw Starters

For ferrous or non-ferrous screws

No more fumbling with hard-to-position screws!

A simple twist of the Ullman alloy steel bit and screw is firmly held, ready for trouble-free starting.

Double-Ended Nylon Screw Starter

DE-1

With Phillips and Slotted Heads

Overall Length 9".

Std. pkg. 1 doz..
Pkg. wt. 1 lb. 2 oz.

Double-Ended Aluminum Screw Starter

DE-2

With Phillips and Slotted Heads

Overall Length 6 1/4".

Std. pkg. 1 doz..
Pkg. wt. 15 oz.

For ferrous or non-ferrous screws and nuts

One quick "snap" and the tool is set . . . gripping screw or nut tight for easy starting.

Bright-dipped anodized sure-grip aluminum handle with blades of high carbon spring steel.

Phillips /Torx® Screw Starter

F-2

Fits TORX® screws sizes T-10, T-15, T-20, T-25, T-27 and T-30. Also fits most Allen-Hex and Phillips screws.

Handy pocket clip. Permanent magnet at opposite end retrieves nuts or screws dropped in hard-to-reach areas.

For headlight bezel, turnlight assemblies, mirror mounts, exterior trim, carburetor and ignition systems.

Overall Length 5 5/8".

Std. pkg. 1 doz..
Pkg. wt. 1 lb. 2 oz.

Nut Starter

G-2

Fits Sizes:
4-40 Thread
3/32" 2.5 mm
to 5/16" 8 mm

- **Snap in Nut**
- **Start Threads**
- **Self Releasing**

Use on small size nuts to start nut on bolt thread.

Releases from nut as threads are engaged.

Overall Length 5 1/8".

Std. pkg. 1 doz..
Pkg. wt. 1 lb. 2 oz.



Ullman

Socket Carry-Racks & Holders

MegaMag® Socket Rack

Strong Neodymium-Iron-Boron Magnets keep 1/4", 3/8", and 1/2" drive sockets together, organized and ready to use.

The magnetic force on the back holds the rack loaded with sockets to any flat metal surface, and the plastic coated rail prevents scratches to painted surfaces.



MSR-3
17" rack

Std. pkg.
1 doz.

Pkg. wt.
4 lbs. 4 oz.

PATENT PENDING

Socket Holders with Heavy-Duty Spring Clips

Bright, durable, plated steel rail with slide-on spring clips to hold sockets tight and rattleproof. Screw into tool chest drawer or hang.

No. 25
17" rack with sixteen 1/4" drive clips.

Std. pkg.
1 doz.

Pkg. wt.
3 lbs. 4 oz.

No. 35
17" rack with sixteen 3/8"drive clips.

Std. pkg.
1 doz.

Pkg. wt.
3 lbs. 6 oz.

No. 50
17" rack with sixteen 1/2" drive clips.

Std. pkg.
1 doz.

Pkg. wt.
3 lbs. 15 oz.

No. 75
17" rack with eight 3/4" drive clips.

Std. pkg.
1 doz.

Pkg. wt.
4 lbs. 5 oz.

Socket Carry-Racks with Vinyl Grips

Bright, durable, plated steel rail with slide-on spring clips to hold sockets tight and rattleproof, yet easily removable. Heavy vinyl handle with socket drive size displayed on top.

SH-1725
17" rack with sixteen 1/4" drive clips.

Std. pkg.
1 doz.

Pkg. wt.
3 lbs. 7 oz.

SH-1735
17" rack with fourteen 3/8"drive clips.

Std. pkg.
1 doz.

Pkg. wt.
3 lbs. 12 oz.

SH-1750
17" rack with fourteen 1/2" drive clips.

Std. pkg.
1 doz.

Pkg. wt.
4 lbs. 3 oz.

SH-1775
17" rack with eight 3/4" drive clips.

Std. pkg.
1 doz.

Pkg. wt.
4 lbs. 9 oz.

Ullman

WE SET THE STANDARDS

DISPLAY FOR NEW HIGH TECH MAGNETIC PICK-UP TOOLS AND INSPECTION MIRRORS

Std. pkg. 1
Pkg. wt. 5 lbs. 6 oz.

HT-DISP eye catching counter or shelf display holds three each:

- **HT-1** lifts 1 1/2 pounds, over 2 pounds with POWERCAP® telescopes from 6 5/8" to 33 1/4".
- **HT-2** lifts 3 1/2 pounds, over 5 pounds with POWERCAP® telescopes from 6 5/8" to 33 1/4".
- **HT-3** lifts 5 pounds, 10 pounds with POWERCAP® telescopes from 6 3/4" to 30 1/4".
- **HTE-2** with 1 1/4" mirror for viewing in tight areas telescopes from 6 1/2" to 35".
- **HTC-2** with 2 1/4" mirror for viewing in less restricted areas telescopes from 6 1/2" to 36 3/8".
- **HTS-2** with 3 1/4" mirror for brightest clearest viewing with room to maneuver telescopes from 6 1/2" to 29 1/2".

www.newmantools.com tel 1-800-465-1384 fax 1-800-605-2442

Ullman

WE SET THE STANDARDS

distributed by :

Newman Tools Inc.
185 Iber Rd.
Ottawa, Ontario, Canada K2S 1E7
Tel 613-836-6776 Fax 613-836-9070
www.newmantools.com tel 1-800-465-1384 fax 1-800-605-2442

CATALOG NO. 108

© ULLMAN DEVICES CORPORATION 2004

PRINTED IN U.S.A.

www.newmantools.com tel 1-800-465-1384 fax 1-800-605-2442